



Polyhedron unfold/refold "dissection":


OPEN: which polyhedra P, Q are connected by
 $P \rightarrow$ (general) unfolding \rightarrow (general) gluing $\rightarrow Q$?
or a sequence of unfolding, gluing, ...?
— true for any two Platonic? [M. Demaine, 1998]

Interesting examples:

— regular tetrahedron $\rightarrow 1 \times 1 \times \underbrace{1.232}_{\sqrt{3} - \frac{1}{2}}$ box possible
[Hirata 2000; GFALOP p.425]




Box \rightarrow box: [Biedl, Chan, Demaine, Demaine, Lubiš, Munro, Shallit
 — Timothy Chan's solution: [GFOALP p. 425] 1999]



$$\sqrt{2} \times \sqrt{2} \times 3\sqrt{2} \rightarrow \text{add tabs} \rightarrow 1 \times 2 \times 4 \text{ box}$$

— Therese Biedl's:



— also $8 \times 1 \times 1 \rightarrow 5 \times 2 \times 1$

— **OPEN**: when is $a \times b \times c \rightarrow d \times e \times f$ possible?

Orthogonal polygons vs. polyhedra:

- can an orthogonal polygon with orthogonal creases fold into nonorthogonal polyhedra?
- answer depends on allowed genus


<u>Genus</u>	<u>NonOrthog.?</u>	<u>Reference</u>
\emptyset	NO	[Donoso & O'Rourke 2002]
1 & 2	NO	[Biedl et al. 2002]
3 - 5	OPEN	
6	YES	
≥ 7	YES	

Proof sketch that $\text{genus} \leq 2 \Rightarrow \text{impossible}$:

- edge green if dihedral multiple of 90° ; red else
- focus on red subgraph; coalesce $\xrightarrow{\text{deg. } 2}$
- faces not planar, but face angles still mult. of 90° & dihedral angles still not mult. of 90°
- vertices have degree ≥ 4 ; deg. 4 special:
- claim: $V \leq 8(g-1) - \max\{D_{\neq 5}, F_{\geq 5}/2\}$

(proof uses Euler's Theorem + analysis of special vxs.)

- degree ≥ 4 & $V \geq 1 \Rightarrow V \geq 5$
- claim $\Rightarrow D_{\neq 5} \leq 3 \Rightarrow D_5 \geq 2 \rightarrow V$
- $V \geq 6 \Rightarrow F_{\geq 5} \leq 4 \Rightarrow$ some f_i degree 4 $\rightarrow w_i$
- $V \geq 7 \Rightarrow F_{\geq 5} \leq 2 \Rightarrow \dots \Rightarrow$ all f_i degree 4
- $w_i \neq w_{i+1} \Rightarrow \geq 3$ distinct $\Rightarrow V \geq 9$ but $V \leq 8 \quad \square$



Smooth Alexandrov: [Pogorelov 1973]

every convex metric, topologically a sphere,
is realized by a unique convex surface,
possibly degenerating to flat doubly covered convex shape

- proof idea: take limits of polyhedral approximation

D-forms: [Tony Wills; Pottmann & Wallner 2001]

- take two convex smooth shapes
of the same length
- identify two boundary points of two shapes
- glue around from there
- smooth Alexandrov \Rightarrow get convex surface



OPEN: is a D-form always the convex hull
of a space curve?

OPEN: are interiors of smooth shapes
always free of creases?

OPEN: which space curves are "ribbon curves"
i.e. the edge of uncreased paper rectangle?

[O'Rourke 2004]

- not all C^∞ curves [Robert Dawson 2005]

Curved-crease origami:

- Bauhaus [1920s - 30s]
- Demaine & Demaine [MoMA 2008]
- Ron Resch [unpublished]
- David Huffman (1925 - 1999) (of Huffman codes)
- Richard Sweeny
- Jeannine Moseley
- Philip Chapman-Bell
- a few other artists (surprising few)


Developable surface: zero curvature & uncreased

⇒ generalized cylinder , cone , or tangents of space curves 

- in all cases, ruled: decompose → generating lines

Local facts: consider space curve [Resch & Huffman 1976]
formed by crease in flat paper

- osculating plane at any point x
↳ plane best fitting curve at & near x
bisects two tangent planes of surface
on either side of crease
- if curve is planar then generating lines
on either side form equal angle with plane
- every space curve can be achieved by a
crease in flat paper



Wrapping smooth surfaces with flat paper:

[Demaine, Demaine, Iacono, Langerman 2007]

- impossible with finite number of creases to make all points have nonzero curvature
- idea: allow folding to shrink some intrinsic distances on paper (contractive mapping)
 - simulate by crinkling paper:

Burago & Zalgaller Theorem: [1996]

any contractive C^2 -immersion of a polygon
 (or more generally, a polyhedral metric)
 admits a C^ϕ -approximation (within $\varepsilon \forall \varepsilon > 0$) by
 isometric piecewise-linear C^ϕ -immersions

- also, noncrossingness is preserved

Stretched path = isometrically folded (unshrunk) path

- optimal wrapping should have one; else scale

Stretched wrapping = stretched path between all two points



Source wrapping of convex surfaces:

- stretched paths along all shortest paths from x
- cut at ridge tree / cut locus
- e.g. unit sphere \Rightarrow disk of radius π , area π^3 , perimeter $2\pi^2$



Strip wrapping:

- e.g. unit sphere \Rightarrow area $\rightarrow 4\pi$, perimeter $\rightarrow \infty$

Wrapping smooth surfaces with flat paper: (cont'd)

Petal wrapping of sphere:

- k stretched paths from South to north pole
- perpendicular stretched paths till meet another
 $\Rightarrow 360^\circ/k$ "orange peel" for each primary path
- depth-2 tree of stretched paths




- Spherical Law of Cosines \Rightarrow

$$\cos C = -\underbrace{\cos A \cos B}_{\emptyset} + \underbrace{\sin A \sin B \cos c}_1$$

$$\Rightarrow \sin C = \sqrt{1 - \sin^2 B \cos^2 c}$$


- Spherical Law of Sines $\Rightarrow \frac{\sin B}{\sin b} = \frac{\sin C}{\sin c}$

$$\Rightarrow b = b(c) = \arcsin \frac{\sin c}{\sqrt{\frac{1}{\sin^2 B} - \cos^2 c}}$$



Comb wrapping: depth-3 tree

- stretched path around equator
- k paths from equator to north pole, ditto for south pole
- perpendicular stretched paths
- same petals, different gluing



Wrapping smooth surfaces with flat paper: (cont'd)

Both petal & comb wrappings: area $\rightarrow 4\pi$
perimeter $\rightarrow \infty$

Real Mozartkugel wrappings:

- square containing 4-petal [Fürst]
 - $\sqrt{2}\pi \times \sqrt{2}\pi$
 - \Rightarrow area $2\pi^2$, perimeter $8\pi/\sqrt{2} \approx 5.7\pi$
- rectangle containing 4-comb [Mirabell]
 - $\pi \times 2\pi$
 - \Rightarrow area $2\pi^2$ (!), perimeter $6\pi >$

Better Mozartkugel wrappings:

- equilateral triangle containing 3-petal has area $1.9983\pi^2$ ($\approx 0.1\%$ improvement)
- packing 3-petals $\Rightarrow 1.6033\pi^2$ area each
- packing k-combs $\Rightarrow 1.3333\pi^2$ area each
- vs. optimal: $4\pi = 1.2732\pi^2$

OPEN: what is the best area for given perimeter?
(Pareto curve)

OPEN: what is the minimum possible perimeter?

OPEN: what about smooth surfaces other than the sphere?