


6.006 Recitation

Build 2008.12

PS I Solutions

- Posted on homework page
- Password-protected
 - Please write down username/password



Think PSI was harsh?

Coming Up Next...

- More hashing!
- Rabin-Karp (String Matching)
 - vs the ~~dumb~~ naive algorithm
 - Rolling Hashes
 - Black Magic: why it works

Hashing without tables

- Fancy names: fingerprint, message digest
- Idea (hashing repeated):
 - given an object, compute a summary that's easier to work with
- Very versatile concept! Don't forget it!!

Hashing human beings

Hashing human beings

- Want something easy to handle

Hashing human beings

- Want something easy to handle
 - fingerprints (doh)
 - DNA samples
 - iris scans
 - face picture

Naive String Matching

- Want to find pattern in text
- Slide pattern over text one by one character
- If pattern matches overlapping characters of text, report match

Rabin-Karp

- Want to find pattern in text
- Slide pattern over text one by one character
- If $\text{hash}(\text{pattern})$ matches $\text{hash}(\text{overlapping characters of text})$
 - If pattern matches overlapping characters of text report match

Making Rabin-Karp fast

- Good hash function
 - If many false positives, then many useless full-string comparisons
- Fast hash update when “sliding” pattern across text
 - If we rehash every time, might as well use naive string comparison

Introducing Rolling Hashes

- Data Structure (just like hash table)
 - start with empty list
 - `append(val)`: appends `val` at the end of list
 - `skip()`: removes the first list element
 - `hash()`: computes a hash of the list

But we have strings

- Characters are numbers (ASCII, Unicode)
 - 'A' = 65, 'B' = 66
- Then strings are lists of numbers
 - "Boom! Headshot" = [66, 111, 111, 109, 33, 32, 72, 101, 97, 100, 115, 104, 111, 116]
- So we can work with lists of numbers

Building Rolling Hashes

- Key Idea: use division method for hashing
 - “concatenate” list items into big number
 - hash value: big number mod prime
 - reason: skip() is doable (not true for most other hashing methods)

Goal: Getting to This

```
1 class AmnesiacRollingHash:
2     def __init__(self, base = 256, prime = 1009):
3         self.hash_value = 0
4         self.base = base
5         self.prime = prime
6         # inv_base is computed s.t. (base * inv_base) % prime == 1
7         self.inv_base = pow(base, prime - 2, prime)
8         self.skip_multiplier = 1
9
10    def append(self, value):
11        self.hash_value = (self.hash_value * self.base + value) % self.prime
12        self.skip_multiplier = (self.skip_multiplier * self.base) % self.prime
13
14    def skip(self, value):
15        self.skip_multiplier = (self.skip_multiplier * self.inv_base) %
self.prime
16        self.hash_value = (self.hash_value + self.prime - (value *
self.skip_multiplier) % self.prime) % self.prime
```


Hashing Intuition

Hashing Intuition

- Base 100, modulo 23
- Hash [61, 8, 19, 91, 37]

Hashing Intuition

- Base 100, modulo 23
- Hash [61, 8, 19, 91, 37]
 - $(6108199137 \bmod 23) = 12$
- Hash $[a_3, a_2, a_1, a_0]$

Hashing Intuition

- Base 100, modulo 23
- Hash [61, 8, 19, 91, 37]
 - $(6108199137 \bmod 23) = 12$
- Hash $[a_3, a_2, a_1, a_0]$
 - $(a_3 \cdot 100^3 + a_2 \cdot 100^2 + a_1 \cdot 100^1 + a_0 \cdot 100^0) \bmod 23$

Sliding Intuition

- Base 100, mod 23
- List: [3, 14, 15, 92, 65, 35, 89, 79, 31]
- [3, 14, 15, 92, 65] to [14, 15, 92, 65, 35]
 - get from 11 to 6
- [14, 15, 92, 65, 35] to [15, 92, 65, 35, 89]
 - get from 6 to 5

Simple Rolling Hashes

- formulas for updating the hash value on append and skip

Fast Rolling Hashes

- need to avoid exponentiation in skip
- cache the result ($\text{base}^{**} \text{length} \bmod p$)
 - append: multiply by base
 - skip: divide by base
 - can't divide, use multiplicative inverse

Python design

- Step 1: Amnesiac Hash -- forgets list items
 - need to remind skip() what's the front element of the list
- Step 2: Easy Hash -- keeps track of items
 - builds upon Amnesiac Hash
 - keeps track of list items

Python: Amnesiac Hash

```
1 class AmnesiacRollingHash:
2     def __init__(self, base = 256, prime = 1009):
3         self.hash_value = 0
4         self.base = base
5         self.prime = prime
6         # inv_base is computed s.t. (base * inv_base) % prime == 1
7         self.inv_base = pow(base, prime - 2, prime)
8         self.skip_multiplier = 1
9
10    def append(self, value):
11        self.hash_value = (self.hash_value * self.base + value) % self.prime
12        self.skip_multiplier = (self.skip_multiplier * self.base) % self.prime
13
14    def skip(self, value):
15        self.skip_multiplier = (self.skip_multiplier * self.inv_base) %
self.prime
16        self.hash_value = (self.hash_value + self.prime - (value *
self.skip_multiplier) % self.prime) % self.prime
```


Python: Easy Hash

```
1 from collections import deque
2
3 class RollingHash(AmnesiacRollingHash):
4     def __init__(self, *args):
5         AmnesiacRollingHash.__init__(self, *args)
6         self.data = deque()
7
8     def append(self, value):
9         AmnesiacRollingHash.append(self, value)
10        self.data.append(value)
11
12    def skip(self):
13        AmnesiacRollingHash.skip(self, self.data.popleft())
```


And we're done!

- costan@mit.edu
- (617) 230-9694, no voicemail
- AIM: victorcostan
- Google Talk: costan@gmail.com
- 32G-8th Floor

v. Next

- Too much stuff: recap took ~10 minutes, and we still didn't get through rolling hashes