6.045J/18.400J: Automata, Computability and Complexity

Prof. Nancy Lynch

Recitation 2: DFAs and NFAs

February 10, 2005

Vinod Vaikuntanathan

Problem 1: Define the following words, phrases and symbols.

- 1. Finite state machine, finite automaton
- 2. Sipser page 49. Determinism vs Nondeterminism
- 3. Sipser page 54. DFA vs NFA
- 4. Regular Language
- 5. Sipser page 53. $(Q, \Sigma, \delta, q_0, F)$
- 6. ε
- 7. Epsilon Transition
- 8. Sipser page 36,40. A machine can accept many strings, but only a single language. To avoid confusion, we will usually say a machine accepts a string and recognizes a language.

Problem 2: Are the following statements true or false?

- 1. It is possible for a finite automaton to recognize an infinite language.
- 2. Every deterministic finite automaton is also a nondeterministic finite automaton.
- For every nondeterministic finite automaton, there is an equivalent nondeterministic finite automaton that has no epsilon transitions.
- 4. For every nondeterministic finite automaton, there is an equivalent nondeterministic finite automaton that has a single accept state.
- 5. If you swap the accepting states and the non-accepting states on ANY finite automaton, the new machine will recognize the complement of the original language.
- The class of languages recognized by non-deterministic finite automata is closed under complementation.
- 7. Let L be a language recognized by a deterministic finite automaton. Define a language

 $L' = \{x_2 x_1 x_4 x_3 \dots x_{2n} x_{2n-1} \mid x_1 x_2 x_3 x_4 \dots x_{2n-1} x_{2n} \in L\}$

L' is recognized by some deterministic finite automaton.

Problem 3:

- 1. Create DFAs for each of the following languages over the alphabet $\Sigma = \{0, 1\}$.
 - (i) The language of strings that contain both a '0' and a '1'.
 - (ii) The language of strings that contain '0110' and end in '1'.
 - (iii) The language of strings that do not contain an odd number of 1s.

2: DFAs and NFAs-1

- (iv) The language of part (iii) star.
- (v) $L = \{w \mid w \text{ contains at least two 0s and at most one 1} \}.$
- 2. An NFA with 3 states for the language $L = \{w \mid w \text{ ends with } 00\}$.

Problem 4: Let $C_n = \{x \mid x \text{ is a binary number divisible by } n\}$. Show that for each n, the language C_n is regular. (Assume for simplicity that the string represented by ϵ is divisible by n for any n).

Problem 5: Let L be any language. Prove that $L \subseteq L^2$ if and only if ϵ is in L.

Problem 6: What language L does the following automaton recognize ? Prove that the automaton indeed recognizes the language you think it recognizes. To do this, we will need to prove that our FA (1) accepts all strings in L and (2) does not accept any string not in L.



- 1. Characterize each state.
- 2. Forward direction (accepts all strings in L). Proof by Induction?
- 3. Reverse direction (does not accept any string outside of L). Proof by Contradiction?

Problem 7: Optional (if we have enough time)

An *all-paths-NFA* M is a 5-tuple $(Q, \Sigma, \delta, q_0, F)$ that accepts $x \in \Sigma^*$ if and only if *every* possible state that M could be in after reading x is a state from F. Prove that all-NFAs recognize exactly the regular languages. (Notice the contrast with NFAs)