

Practice Final

- Do not open this exam booklet until you are directed to do so. Read all the instructions first.
- When the exam begins, write your name on every page of this exam booklet.
- The exam contains seven multi-part problems. You have 180 minutes to earn 180 points.
- This exam booklet contains **17** pages, including this one. An extra sheet of scratch paper is attached. Please detach it before turning in your exam.
- This exam is closed book. You may use three handwritten A4 or $8\frac{1}{2}'' \times 11''$ crib sheets. No calculators or programmable devices are permitted.
- Write your solutions in the space provided. If you need more space, write on the back of the sheet containing the problem. Do not put part of the answer to one problem on the back of the sheet for another problem, since the pages may be separated for grading.
- Do not waste time and paper rederiving facts that we have studied. It is sufficient to cite known results.
- Do not spend too much time on any one problem. Read them all through first, and attack them in the order that allows you to make the most progress.
- Show your work, as partial credit will be given. You will be graded not only on the correctness of your answer, but also on the clarity with which you express it. Be neat.
- Good luck!

Problem	Points	Grade	Initials
1	12		
2	56		
3	20		
4	25		
5	27		
6	20		
7	20		
Total	180		

Name: _____

Circle your recitation letter and the name of your recitation instructor:

David A B Steve C D Hanson E F

Problem 1. Algorithm Design Techniques [12 points]

The following are a few of the design strategies we followed in class to solve several problems.

1. Dynamic programming.
2. Greedy strategy.
3. Divide-and-conquer.

For each of the following problems, mention which of the above design strategies was used (in class) in the following algorithms.

1. Longest common subsequence algorithm

2. Minimum spanning tree algorithm (Prim's algorithm)

3. Select

4. Fast Fourier Transform

Problem 2. True or False, and Justify [56 points]

Circle **T** or **F** for each of the following statements, and briefly explain why. The better your argument, the higher your grade, but be brief. Your justification is worth more points than your true-or-false designation. Each part is 4 points.

- (a) **T F** An inorder traversal of a Min Heap will output the values in sorted order.
- (b) **T F** A Monte-Carlo algorithm is a randomized algorithm that always outputs the correct answer and runs in expected polynomial time.
- (c) **T F** Two distinct degree- d polynomials with integer coefficients can evaluate to the same value in as many as $d + 1$ distinct points.

- (d) **T F** The right subtree of an n -node 2-3-4 tree contains $\Omega(n)$ nodes.
- (e) **T F** If a problem in NP can be solved in polynomial time, then all problems in NP can be solved in polynomial time.
- (f) **T F** If an NP-complete problem can be solved in linear time, then all NP-complete problems can be solved in linear time.

- (g) **T F** If single digit multiplication can be done in $O(1)$ time, then multiplying two k -digit numbers can be done in $O(k \log k)$ time.
- (h) **T F** In a k -bit binary counter (that is initialized to zero and is always non-negative), any sequence of $n < 2^k$ increments followed by $m \leq n$ decrements takes $O(m + n)$ total bit flips in the worst case, where a bit flip changes one bit in the binary counter from 0 to 1 or from 1 to 0.
- (i) **T F** Consider a directed graph G in which every edge has a positive edge weight. Suppose you create a new graph G' by replacing the weight of each edge by the negation of its weight in G . For a given source vertex s , you compute all shortest path from s in G' using Dijkstra's algorithm.
True or false: the resulting paths in G' are the longest (i.e., highest cost) simple paths from s in G .

(j) **T F** A spanning tree of a given undirected, connected graph $G = (V, E)$ can be found in $O(E)$ time.

(k) **T F** Consider the following algorithm for computing the square root of a number x :

```
SQUARE-ROOT( $x$ )
For  $i = 1, \dots, x/2$ :
    if  $i^2 = x$  then output  $i$ .
```

True or False: This algorithm runs in polynomial time.

(l) **T F** An efficient max-flow algorithm can be used to efficiently compute a maximum matching of a given bipartite graph.

(m) **T F** The following recurrence has solution $T(n) = \Theta(n \lg(n^2))$.

$$T(n) = 2T(n/2) + 3 \cdot n$$

(n) **T F** Computing the convolution of two vectors, each with n entries, requires $\Omega(n^2)$ time.

Problem 3. Placing Gas Stations Along a Highway [20 points]

Give a dynamic programming algorithm that on input S , where $S = \{s_0 = 0 \leq s_1 \leq \dots \leq s_n = m\}$ is a finite set of positive integers, determines whether it is possible to place gas stations along an m -mile highway such that:

1. A gas station can only be placed at a distance $s_i \in S$ from the start of the highway.
2. There must be a gas station at the beginning of the highway ($s_0 = 0$) and at the end of the highway ($s_n = m$).
3. The distance between every two consecutive gas stations on the highway is between 15 and 25 miles.

For example, suppose the input is $\{0, 15, 40, 50, 60\}$. Then your algorithm should output “yes”, because we can place gas stations at distances $\{0, 15, 40, 60\}$ from the beginning of the highway.

However, if the input is $\{0, 25, 30, 55, 70\}$, then your algorithm should output “no”, because there is no subset of the distances that satisfies the conditions listed above.

Remember to analyze the running time of your algorithm.

Problem 4. Independent Set and Vertex Cover [25 points]

For a graph $G = (V, E)$, we say $S \subseteq V$ is an independent set in G if there are no edges between any two vertices in S .

We say a subset $T \subseteq V$ is a vertex cover of G if for every edge (u, v) in E at least one of u or v is in T .


- (a) [10 points] Show S is an independent set in G if and only if $V - S$ is a vertex cover of G .

- (b) **[5 points]** Show that the decision problem *Independent Set* = $\{(G, k) \mid G \text{ contains an independent set of size at least } k\}$ is in NP.

- (c) **[10 points]** We showed in class that the decision problem $Vertex\ Cover = \{(G, k) \mid G \text{ contains a vertex cover of size at most } k\}$ is NP-complete. Use this to show that $Independent\ Set$ is NP-complete.

Problem 5. Flows [27 points]

Consider the following graph:



- (a) [10 points] What is the maximum flow in this graph? Give the actual flow as well as its value. Justify your answer.

- (b) **[5 points]** True or false: For any flow network G and any maximum flow on G , there is always an edge e such that increasing the capacity of e increases the maximum flow of the network. Justify your answer.

- (c) **[5 points]** Suppose you have a flow network G with integer capacities, and an integer maximum flow f . Suppose that, for some edge e , we increase the capacity of e by one. Describe an $O(|E|)$ -time algorithm to find a maximum flow in the modified graph.

- (d) [7 points] Consider the decision problem: $Flow = \{(G, s, t, k) \mid G = (V, E) \text{ is a flow network, } s, t \in V, \text{ and the value of an optimal flow from } s \text{ to } t \text{ in } G \text{ is } k\}$.
Is $Flow$ in NP? Why or why not?

Problem 6. Comparing Sets [20 points]

Given two sets of integers S_1 and S_2 , each of size n , your job is to determine if S_1 and S_2 are identical.

Give a $O(n)$ time randomized algorithm that always outputs “yes” if $S_1 = S_2$ and outputs “no” with probability at least $1 - 1/n$ if $S_1 \neq S_2$.

You may assume that we have a probabilistic model of computation in which generating a random number takes $O(1)$ time and a comparison, a multiplication, and an addition of two numbers each takes $O(1)$ time, regardless of the size of the two numbers involved.

Hint: Reduce the problem of comparing sets to the problem of comparing polynomials.

Problem 7. Finding the Topological Sort of a Complete Directed Acyclic Graph [20 points]

Let $G = (V, A)$ be a directed acyclic graph that has an edge between every pair of vertices and whose vertices are labeled $1, 2, \dots, n$, where $n = |V|$. To determine the direction of an edge between two vertices in V , you are only allowed to ask a *query*. A query consists of two specified vertices u and v and is answered with:

“from u to v ” if (u, v) is in A , or

“from v to u ” if (v, u) is in A .

Give matching upper and lower bounds (as functions of n) for the number of queries required to find a topological sort of G .