

Lecture 17: Shortest Paths IV - Speeding up Dijkstra

Lecture Overview

- Single-source single-target Dijkstra
- Bidirectional search
- Goal directed search - potentials and landmarks

Readings

[Wagner paper on website](#), (upto Section 3.2)

DIJKSTRA single-source, single-target

```
Initialize()
 $Q \leftarrow V[G]$ 
while  $Q \neq \phi$ 
  do  $u \leftarrow \text{EXTRACT\_MIN}(Q)$  (stop if  $u = t$ !)
  for each vertex  $v \in \text{Adj}[u]$ 
    do  $\text{RELAX}(u, v, w)$ 
```

Observation: If only shortest path from s to t is required, stop when t is removed from Q , i.e., when $u = t$

Bi-Directional Search

Note: Speedup techniques covered here do not change worst-case behavior, but reduce the number of visited vertices in practice.




Figure 1: Bi-directional Search.

Bi-D Search

Alternate forward search from s
 backward search from t
 (follow edges backward)
 $d_f(u)$ distances for forward search
 $d_b(u)$ distances for backward search

Algorithm terminates when some vertex w has been processed, i.e., deleted from the queue of both searches, Q_f and Q_b




Figure 2: Bi-D Search.

Subtlety: After search terminates, find node x with minimum value of $d_f(x) + d_b(x)$. x may not be the vertex w that caused termination as in example to the left!

Find shortest path from s to x using Π_f and shortest path backwards from t to x using Π_b .

Note: x will have been deleted from either Q_f or Q_b or both.




Figure 3: Forward and Backward Search.

Minimum value for $d_f(x) + d_b(x)$ over all vertices that have been processed in at least one search

$$d_f(u) + d_b(u) = 3 + 6 = 9$$

$$d_f(u') + d_b(u') = 6 + 3 = 9$$

$$d_f(w) + d_b(w) = 5 + 5 = 10$$

Goal-Directed Search or A^*

Modify edge weights with potential function over vertices.

$$\bar{w}(u, v) = w(u, v) - \lambda(u) + \lambda(v)$$

Search toward target:




Figure 4: Targeted Search

Correctness

$$\bar{w}(p) = w(p) - \lambda_t(s) + \lambda_t(t)$$

So shortest paths are maintained in modified graph with \bar{w} weights.




Figure 5: Modifying Edge Weights.

To apply Dijkstra, we need $\bar{w}(u, v) \geq 0$ for all (u, v) .

Choose potential function appropriately, to be feasible.

Landmarks

Small set of landmarks LCV . For all $u \in V, l \in L$, pre-compute $\delta(u, l)$.

Potential $\lambda_t^{(l)}(u) = \delta(u, l) - \delta(t, l)$ for each l .

CLAIM: $\lambda_t^{(l)}$ is feasible.

Feasibility

$$\begin{aligned}\bar{w}(u, v) &= w(u, v) - \lambda_t^{(l)}(u) + \lambda_t^{(l)}(v) \\ &= w(u, v) - \delta(u, l) + \delta(t, l) + \delta(v, l) - \delta(t, l) \\ &= w(u, v) - \delta(u, l) + \delta(v, l) \geq 0 \quad \text{by the } \Delta \text{-inequality} \\ \lambda_t(u) &= \max_{l \in L} \lambda_t^{(l)}(u) \text{ is also feasible}\end{aligned}$$