Massachusetts Institute of Technology
6.042J/18.062J: Mathematics for Computer Science
Professors Nancy Lynch and Shlomi Dolev

Handout 15
September 26, 2000

Problem Set 4

Due: 2:35pm in lecture, October 3, 2000.

Be sure to indicate your TA's name clearly on the solutions your turn in.

Self-study: Matrices Read: Rosen §2.6
Self-study problems (not to be handed in): Rosen §2.6, Exercises 1, 3, 5, 9, 13, 15, 23, 29, 31

Reading: Rosen 7.1-7.5, 7.8, 8.1, 8.2, 8.4, 8.5

Problem 1 At last count, our 6.042 class contains 180 students. Prove that the class must contain either: (a) A set S of 15 students such that, if they line up in size places, they are also arranged in increasing order of age, or (b) a set T of 13 students such that, if they line up in size places, they are also arranged in decreasing order of age.

Problem 2 Find the number of paths from a to e in the directed graph shown below

(a) of length 2

(b) of length 3

(c) of length 5



Problem 3 An *Euler path* in a digraph G is a path that traverses all the edges of G, each edge exactly once. Unlike an Euler circuit, it need not end up at the same vertex where it started.

Say whether each of the following digraphs has an Euler path, an Euler circuit, both, or neither. Justify your answers by exhibiting the circuits and paths that you say exist, and proving that the others don't exist.



(a)



(b)



(c)

Problem 4 For each of the following graphs,

- Find the chromatic number

- Say whether it is possible to decrease the chromatic number by removing a single vertex and all edges incident with it.

Justify your answers.

(a) The graph in Rosen Section 7.8, exercise 4.

(b) The graph in Rosen Section 7.8, exercise 6.

(c) The graph in Rosen Section 7.8, exercise 8.

Problem 5 Rosen section 7.5, exercise 44.

Problem 6 Either draw a full m-ary tree with 76 leaves and height 3 where m is a positive integer, or show that no such tree exists.

Problem 7 Rosen 8.2 exercise 8.