

## Homework 4

Due: Monday, March 5, 5PM

Elena Grigorescu

**Problem 1: Distinguishable strings and indices** (From Sipser Problems 1.51 and 1.52)

Let  $x$  and  $y$  be strings and let  $L$  be *any* language (not necessarily regular). We say that  $x$  and  $y$  are *distinguishable by  $L$*  if some string  $z$  exists such that exactly one of the strings  $xz$  and  $yz$  is in  $L$ . In the opposite case, if for all strings  $z$ ,  $xz$  is in  $L$  if and only if  $yz$  is in  $L$ , we say that  $x$  and  $y$  are *indistinguishable by  $L$* . If  $x$  and  $y$  are indistinguishable by  $L$ , we write  $x \equiv_L y$ .

(a) Show that  $\equiv_L$  is an equivalence relation.

Let  $L$  be a language and  $X$  a set of strings. We say that  $X$  is *pairwise distinguishable by  $L$*  if every two distinct strings in  $X$  are distinguishable by  $L$ . Define the *index* of  $L$  to be the maximum number of elements in any set that is pairwise distinguishable by  $L$ . In other words, the index of  $L$  is equal to the number of equivalence classes in  $L$ , which may be finite or infinite.

(b) Let  $L_1$  be the regular language  $(001)^*00$ . What is the index of  $L_1$ ? Describe the equivalence classes.

(c) Build a DFA for  $L_1$  with states corresponding to the equivalence classes (i.e., the number of states is equal to the index of  $L_1$ ).

(d) Let  $L_2$  be the non-regular language  $\{0^n1^n : n \geq 1\}$ . What is the index of  $L_2$ ? Describe the equivalence classes.

(e) Now consider an arbitrary language  $L$ . Prove that if  $L$  is recognized by a DFA with  $k$  states, then  $L$  has index at most  $k$ .

(f) Again consider an arbitrary language  $L$ . For  $L$  with index  $k$ , show how to construct a DFA with  $k$  states.

We can conclude from this problem that a language  $L$  is regular if and only if it has a finite index. Moreover, its index is the size of the smallest DFA recognizing it.